

CDLC1402


**USED WITH:
LEAK AND BUCKLING TESTERS**

CHANGE PARTS


**9748
9749
9750
9751**




9748



9749



9750



9751

LATEST VERSION(S) MAY VARY SLIGHTLY FROM PHOTO(S)

FOR DIRECT TECHNICAL ASSISTANCE USE FAX # (860) 496-0255

PRODUCT OVERVIEW

These Change Parts are used with leak and buckling testers to hold a sample in place as air pressure or vacuum is applied. The Change Parts are manufactured by Altek to specific customer requirements.

9748 DESCRIPTION

The 9748 Change Parts hold a round end in place as vacuum is applied to the product side of the end. The 9748 consists of a lower adapter and gasket which fit onto the test unit and into which the end is placed, and an upper cup and gasket that clamps down on the end during operation to affect a seal.

9749 DESCRIPTION

The 9749 Change Parts hold a single radius rectangular end in place as vacuum is applied to the product side of the end. The 9749 consists of a lower adapter and gasket which fit onto the test unit and into which the end is placed, and an upper cup and gasket that clamps down on the end during operation to affect a seal.

9750 DESCRIPTION

The 9750 Change Parts hold a multiple radius rectangular end in place as vacuum is applied to the product side of the end. The 9750 consists of a lower adapter and gasket which fit onto the test unit and into which the end is placed, and an upper cup and gasket that clamps down on the end during operation to affect a seal.

9751 DESCRIPTION

The 9751 Change Parts hold an oval end in place as vacuum is applied to the product side of the end. The 9751 consists of a lower adapter and gasket which fit onto the test unit and into which the end is placed, and an upper cup and gasket that clamps down on the end during operation to affect a seal.

SPECIFICATIONS

The following document describes the specifications for these Change Parts:

CDXC1401 - Change Parts Specifications

9748 ORDERING

The 9748 is ordered by specifying 9748 on the appropriate Customer Order Guide and supplying detail drawings and several samples to Altek. Drawings and samples MUST be provided to ensure proper manufacture of the 9748 Change Parts.

9749 ORDERING

The 9749 is ordered by specifying 9749 on the appropriate Customer Order Guide and supplying detail drawings and several samples to Altek. Drawings and samples MUST be provided to ensure proper manufacture of the 9749 Change Parts.

9750 ORDERING

The 9750 is ordered by specifying 9750 on the appropriate Customer Order Guide and supplying detail drawings and several samples to Altek. Drawings and samples MUST be provided to ensure proper manufacture of the 9750 Change Parts.

9751 ORDERING

The 9751 is ordered by specifying 9751 on the appropriate Customer Order Guide and supplying detail drawings and several samples to Altek. Drawings and samples MUST be provided to ensure proper manufacture of the 9751 Change Parts.

ORDERING NOTE

Note that when these Change Parts are ordered, TWO SETS are supplied because the unit which uses these Change Parts tests two ends at a time. Two different sizes of Change Parts may be specified, if desired; if only one size is specified, two identical sets of Change Parts will be produced.

TECHNICAL SUPPORT

Altek provides comprehensive technical support to its customers worldwide. For assistance, contact Altek and ask for the Engineering department.

REPAIR

Altek customers can obtain a return authorization from Altek and ship a faulty unit in for repair, if necessary. In addition, replacement parts for all models are available from Altek.

WARRANTY

All Altek products are built to the highest standards of quality and reliability. This Altek product is backed by a full 90-day warranty.

FURTHER INFORMATION

See the accompanying specifications for additional information concerning this product. If specifications were not included with this flier, please call Altek; they will be mailed or faxed as quickly as possible.

CUSTOM DESIGN.

Altek can custom design inspection and test equipment to meet specific customer requirements. Custom Change Parts can also be designed and manufactured for most Altek products; contact Altek for further information.

A NOTE ON SAMPLES

Samples sent to Altek as a requirement for the manufacture of Change Parts must be submitted in their "as tested" form. For instance, if an end will be tested unseamed on a piece of test equipment, Altek must receive ends that are unseamed in order to properly manufacture the Change Parts. Contact Altek for further information regarding sample requirements for Change Parts manufacture.

For more information, contact Altek between 8:00 am and 5:00 pm ET, Monday thru Friday. The Altek company address and phone numbers can be found on the front of this flier.

ORDERING INFORMATION

To purchase this product:

This flier is supplemented by additional literature in the form of a specification sheet.

At least one of these Change Parts sets is required for operation of an Altek leak and buckling tester.

Customer detail drawings and samples are REQUIRED in order to ensure proper manufacture and operation of the Change Parts.

These Change Parts are ordered by specifying the required information (as described above) on the appropriate Customer Order Guide.

Thank you for your interest in TECH • products from Altek!

CDXC1401.001

C14 SPECIFICATIONS

ALL SPECIFICATIONS ARE SUBJECT TO CHANGE WITHOUT NOTICE

CHANGE PARTS: 9748, 9749, 9750, 9751

USED WITH MODELS: 9001LP

EFFECTIVE DATE: JAN 31, 1991

SAMPLE TYPE: FOOD/UTILITY ENDS

NOTE: A SEPARATE SET OF CHANGE PARTS MUST BE MANUFACTURED FOR EACH SPECIFIC DIAMETER OR CROSS-SECTION OF SAMPLE.

NOTE: A DIAMETER ENVELOPE LIMIT MEANS THAT THE SAMPLE MUST FIT COMPLETELY WITHIN A CIRCLE OF THE GIVEN DIAMETER, REGARDLESS OF THE SPECIFIC SHAPE OF THE SAMPLE.

9748: For round, unseamed metal food/utility ends

End Diameter 200 - 502
(2" to 5 2/16")

9749: For single-radius rectangular, unseamed metal food/utility ends

End L x W (Max) 502 dia envelope
(5 2/16")

9750: For multiple-radius rectangular, unseamed metal food/utility ends

End L x W (Max) 502 dia envelope
(5 2/16")

9751: For oval, unseamed metal food/utility ends

End L x W (Max) 502 dia envelope
(5 2/16")